



Commonwealth
of Australia

Gazette

No. FSC 97, Thursday, 30 April 2015
Published by Commonwealth of Australia

FOOD STANDARDS

AMENDMENT NO. 155

The following instruments are separate instruments in the Federal Register of Legislative Instruments and are known collectively in the Food Standards Gazette as Amendment No. 155.

TABLE OF CONTENTS

Food Standards (Proposal M1010 – Maximum Residue Limits (2014)) Variation

ISSN 1446-9685

© Commonwealth of Australia 2015

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email information@foodstandards.gov.au.

Food Standards (Proposal M1010 – Maximum Residue Limits (2014)) Variation

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the Food Standards Australia New Zealand Act 1991. The Standard commences on the date specified in clause 3 of this variation.

Dated 21 April 2015



Standards Management Officer
Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC 97 on 30 April 2015. This means that this date is the gazettal date for the purposes of clause 3 of the variation.

1 Name

This instrument is the *Food Standards (Proposal M1010 – Maximum Residue Limits (2014)) Variation*.

2 Variation to Standards in the Australia New Zealand Food Standards Code

The Schedule varies a Standard in the *Australia New Zealand Food Standards Code*.

3 Commencement

The variation commences on the date of gazettal.

SCHEDULE

[1] **Standard 1.4.2** is varied by

[1.1] omitting from Schedule 1 all entries for the following chemicals

“Daminozide
Parathion-methyl”

[1.2] omitting from Schedule 1 all entries for the following chemical with the associated chemical definition

Fluxapyroxad Fluxapyroxad

[1.3] inserting in alphabetical order in Schedule 1

“

Alpha-cypermethrin see Cypermethrin

”

“

Cyazofamid <i>Commodities of plant origin and of animal origin for enforcement: Cyazofamid</i> <i>Commodities of plant origin and animal origin for dietary risk assessment: the sum of cyazofamid and 4-chloro-5-(4-methoxyphenyl)-1H-imidazole-2-carbonitrile, expressed as cyazofamid</i>	
Hops, dry	10

”

“

Zeta-cypermethrin see Cypermethrin
--

”

[1.4] inserting in Schedule 1 for each of the following chemicals the foods and associated MRLs in alphabetical order

Abamectin Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b
--

“

Stone fruits	0.09
--------------	------

”

Acequinocyl Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl
--

“

Hops, dry	4
-----------	---

”

Acetamiprid
Commodities of plant origin: Acetamiprid
Commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N₁-[(6-chloro-3-pyridyl)methyl]-N₂-cyanoacetamide), expressed as acetamiprid

Herbs	3
Spices	0.1

Ametoctradin
Commodities of plant origin: Ametoctradin
Commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid

Brassica (cole or cabbage) vegetables, Head cabbages	9
Flowerhead brassicas	
Celery	20
Cucumber	0.4
Dried grapes (currants, raisins and sultanas)	20
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob) and mushroom]	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Hops, dry	30
Leafy vegetables	50
Onion, bulb	1.5
Peppers, Chili (dry)	15
Potato	0.05
Shallot	1.5
Spring onion	20

Bentazone
 Bentazone

Beans [except soya bean]	0.5
Peas	3

Boscalid
Commodities of plant origin: Boscalid
Commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

Hops, dry	35
-----------	----

Chlorantraniliprole
Plant commodities and animal commodities other than milk: Chlorantraniliprole
Milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole

Asparagus	13
Avocado	4
Berries and other small fruits	2.5
Cherries	1
Citrus fruits	1.4
Coffee beans	0.4
Hops, dry	90
Plums	1
Rape seed (canola)	2
Rice	0.15
Stone fruits [except cherries and plums]	4
Sunflower seed	2
Tree nuts [except almonds and pistachio nut]	0.02

Chlorfenapyr
 Chlorfenapyr

Peppers, Chili	0.01
Spices	0.05
Tea, green, black	50

Chlorpyrifos
 Chlorpyrifos

Onion, bulb	0.2
-------------	-----

Chlorpyrifos-methyl
 Chlorpyrifos-methyl

Tea, green, black	0.1
-------------------	-----

Clopyralid
 Clopyralid

Blueberries	0.5
Strawberry	4

Clothianidin
 Clothianidin

Spices	0.05
Tea, green, black	T0.7

Cypermethrin Cypermethrin, sum of isomers		Poultry meat (in the fat)	0.5
Citrus fruits [except kumquats]	0.3		
Cyprodinil Cyprodinil		Hops, dry	7
Dewberries (including loganberry) [except boysenberry]	T5	Tea, green, black	15
Difenoconazole Difenoconazole			
Cherries	2.5	Cranberry	0.5
Diflubenzuron Diflubenzuron			
Stone fruits [except cherries]	0.07	Stone fruits [except cherries and peach]	1.4
Tea, green, black	0.1		
Dimethomorph Sum of E and Z isomers of dimethomorph			
Brassica (cole or cabbage) vegetables, Head Cabbage, Flowerhead Brassicas	6	Cherries	2
Corn salad	10	Grapes	1
Fruiting vegetables, other than cucurbits	1.5	Hops, dry	10
Garlic	0.6	Tea, green, black	0.1
Herbs	10		
Hops, dry	80	Flonicamid	
Leafy vegetables	30	Flonicamid [N-(cyanomethyl)-4-(trifluoromethyl)-3- pyridinecarboxamide] and its metabolites TFNA [4- trifluoromethylnicotinic acid], TFNA-AM [4- trifluoromethylnicotinamide] TFNG [N-(4- trifluoromethylnicotinoyl)glycine]	
Lima bean (young pods and/or immature seeds)	0.6	Hops, dry	7
Spices	0.05		
Dinotefuran Sum of dinotefuran and its metabolites DN, 1- methyl-3-(tetrahydro-3-furylmethyl)guanidine and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea expressed as dinotefuran			
Cranberry	0.2	Flubendiamide	
		Commodities of plant origin: Flubendiamide Commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1- (trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide	
		Spices	0.02
		Tea, green, black	0.02
Ethoxyquin Ethoxyquin			
		Fluopyram	
Crustaceans	1	Fluopyram	
Diadromous fish	1	Cherries	0.6
Edible offal (mammalian)	1	Grapes	2
Eggs	0.1	Hops, dry	100
Freshwater fish	1		
Marine fish	1		
Meat (mammalian)	0.5		
Poultry, edible offal of	0.1		

Flutriafol Flutriafol

Stone fruits	1.5
--------------	-----

Fluxapyroxad <i>Commodities of plant origin: Fluxapyroxad</i> <i>Commodities of animal origin for enforcement: Fluxapyroxad</i>
--

Blackberries	5
Blueberries	7
Brassica leafy vegetables	4
Bulb vegetables	1.5
Dried grapes (currants, raisins and sultanas)	5.7
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob) and mushroom]	0.6
Grapes [except dried grapes]	2
Mango	0.5
Oilseeds [except peanut and cotton]	0.9
Oranges, sweet, sour	0.2
Pecan	0.06
Peppers, Chili (dry)	6
Pome fruits	0.8
Prunes	5
Pulses [except soya bean (dry)]	0.4
Raspberries, red, black	5
Rice [except rice bran, unprocessed and rice hulls]	5
Rice bran, unprocessed	8.5
Rice hulls	15
Root and tuber vegetables [except sugar beet]	0.9
Rye	3
Sorghum	3
Soya bean (dry)	0.3
Soya bean (immature seeds)	0.15
Stone fruits [except prunes]	3
Strawberry	4
Sugar beet	0.15
Sugar cane	3
Wheat	0.3

Fosetyl Fosetyl

Citrus fruits	5
---------------	---

Hexythiazox Hexythiazox

Hops, dry	2
Tea, green, black	4

Imazalil Imazalil

Onion, bulb	0.05
-------------	------

Imazamox Imazamox

Lentil (dry)	0.25
Rice	0.05
Sunflower seed	0.3

Imazapic Sum of imazapic and its hydroxymethyl derivative

Maize	0.1
Rice	0.05

Imazapyr Imazapyr

Lentils (dry)	0.2
Rice	0.05
Sugar cane	0.05
Sunflower seed	0.05

Imazethapyr Imazethapyr

Rape seed (canola)	0.05
--------------------	------

Imidacloprid Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid
--

Cranberry	0.05
Spices [except coriander (leaves, stem, roots); coriander seed; dill seed; fennel seed; ginger root]	0.05

Indoxacarb Sum of indoxacarb and its <i>R</i> -isomer

Cherries	T2
Stone fruits [except cherries]	2

Isoxaflutole The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole
--

Soya bean (dry)	0.05
-----------------	------

Kresoxim-methyl	
<i>Commodities of plant origin:</i> Kresoxim-methyl	
<i>Commodities of animal origin:</i> Sum of a-(p-hydroxyo-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl	

Asparagus	0.05
Barley	0.1
Beetroot	0.05
Berries and other small fruits	1.5
Chard (beet leaves)	0.05
Coffee beans	0.05
Cotton seed	0.05
Dried grapes (currants, raisins and sultanas)	2
Egg plant	0.6
Garlic	0.3
Ginseng (dried)	1
Grape leaves	15
Grapefruit	0.5
Leek	5
Mammalian fats [except milk fats]	0.05
Oats	0.1
Olive oil, virgin	0.7
Olives	0.2
Onion, bulb	0.3
Oranges, sweet, sour	0.5
Pear	5
Pecan	0.15
Peppers, Sweet	1
Pome fruits [except pear]	0.2
Potato	0.1
Poultry meat	0.05
Rice	0.02
Rye	0.1
Shallot	0.3
Soya bean (dry)	0.05
Sugar beet	0.05
Sunflower seed	0.1
Tea, green, black	15
Tomato	0.6
Turnip, garden	0.05
Wheat	0.1

Mandipropamid	
Mandipropamid	

Hops, dry	50
-----------	----

Metaflumizone	
Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl)phenyl]ethyl}-benzoxazole expressed as metaflumizone	

Citrus fruits	0.04
Tree nuts	0.04

Metconazole	
Metconazole	

Potato	0.04
Sweet potato	0.04

Methoxyfenozide	
Methoxyfenozide	

Plums (including prunes)	0.3
--------------------------	-----

Myclobutanil	
Myclobutanil	

Stone fruits [except cherries]	2
--------------------------------	---

Penconazole	
Penconazole	

Herbs	0.05
Spices	0.1
Tea, green, black	0.1

Pendimethalin	
Pendimethalin	

Artichoke, globe	0.05
Asparagus	0.15
Brassica leafy vegetables	0.2
Leafy vegetables [except brassica leafy vegetables and lettuce, leaf]	*0.05
Lettuce, leaf	4
Melons, including watermelon	0.1
Sorghum	0.1

Penthiopyrad	
<i>Commodities of plant origin:</i> Penthiopyrad	
<i>Commodities of animal origin:</i> Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad	

Cranberry	3
-----------	---

Permethrin	
Permethrin, sum of isomers	

Nectarine	2
Peach	1
Tea, green, black	0.1

Phosmet	
Sum of phosmet and its oxygen analogue, expressed as phosmet	

Grapes	10
--------	----

Prothioconazole
Commodities of plant origin: Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1*H*-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole
Commodities of animal origin: Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1*H*-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxydesthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1*H*-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxydesthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1*H*-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole

Cranberry	0.2
-----------	-----

Pyraclostrobin
Commodities of plant origin: Pyraclostrobin
Commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1*H*-pyrazol-3-ol, expressed as pyraclostrobin

Herbs	2
Hops, dry	23
Spices	0.1
Stone fruits	2.5

Pyridaben
 Pyridaben

Cranberry	0.5
-----------	-----

Pyrimethanil
 Pyrimethanil

Coriander (leaves)	3
Herbs	3
Onion, bulb	0.1
Spices	0.1

Pyriproxyfen
 Pyriproxyfen

Cranberry	1
-----------	---

Quinlorac
 Quinlorac

Barley	2
Rape seed (canola)	1.5
Rice	5
Wheat	0.5

Quinoxyfen
 Quinoxyfen

Hops, dry	3
Stone fruits	0.7

Sethoxydim
 Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim

Cranberry	2.5
Hops, dry	0.5
Strawberry	10

Simazine
 Simazine

Citrus fruits	0.25
Fruit [except citrus fruits]	*0.1

Spirodiclofen
 Spirodiclofen

Hops, dry	30
-----------	----

Spiromesifen
 Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen

Tea, green, black	50
-------------------	----

Spirotetramat
 Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat

Cranberry	0.3
Hops, dry	10

Spiroxamine
Commodities of plant origin: Spiroxamine
Commodities of animal origin: Spiroxamine carboxylic acid, expressed as spiroxamine

Hops, dry	50
-----------	----

Sulfoxaflor
 Sulfoxaflor

Cranberry	0.7
-----------	-----

Tebuconazole Tebuconazole	
“	
Peppers, Chili (dry)	10
Spices	1
Stone fruits [except cherries]	1
”	

Tebufenpyrad Tebufenpyrad	
“	
Tea, green, black	0.1
”	

Thiabendazole <i>Commodities of plant origin:</i> Thiabendazole <i>Commodities of animal origin:</i> Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole	
“	
Onion, bulb	0.05
”	

Thiacloprid Thiacloprid	
“	
Coriander (leaves)	5
Herbs	5
Peppers, Chili	1
Spices	0.1
Tea, green, black	10
”	

Thiamethoxam <i>Commodities of plant origin:</i> Thiamethoxam <i>Commodities of animal origin:</i> Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam	
“	
Tea, green, black	20
”	

Thiophanate-methyl Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl	
“	
Grapes	5
”	

Triadimefon Sum of triadimefon and triadimenol, expressed as triadimefon <i>see also</i> Triadimenol	
“	
Tea, green, black	0.2
”	

Triadimenol Triadimenol <i>see also</i> Triadimefon	
“	
Tea, green, black	0.2
”	

Tridemorph Tridemorph	
“	
Tea, green, black	0.05
”	

Trifloxystrobin Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents	
“	
Hops, dry	11
”	

Triflumizole Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole	
“	
Hops, dry	50
”	

[1.5] omitting from Schedule 1 for each of the following chemicals the foods and associated MRLs

Ametoctradin <i>Commodities of plant origin:</i> Ametoctradin <i>Commodities of animal origin:</i> Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazol-5-yl)pyrimidin-6-yl) hexanoic acid	
“	
Grapes	3
”	

Azinphos-methyl Azinphos-methyl	
“	
Citrus fruits	2
Kiwifruit	2
Oilseed	*0.05
”	

Raspberries, red, black	1
”	

Bentazone Bentazone	
“	
Beans [except broad bean and soya bean]	*0.1
Broad bean (green pods and immature seeds)	*0.1
Garden pea (shelled)	T*0.05
Podded pea (young pods) (snow and sugar snap)	T0.05
”	

Chlorantraniliprole	
<i>Plant commodities and animal commodities other than milk:</i> Chlorantraniliprole	
<i>Milk:</i> Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole	

Cranberry	1
Grapes [except table grapes]	0.3
Stone fruits	1
Strawberry	T0.5
Table grapes	1.2

Cyprodinil	
Cyprodinil	

Dewberries (including boysenberry and loganberry)	T5
---	----

Dimethomorph	
Sum of E and Z isomers of dimethomorph	

Brassica leafy vegetables	T2
Leafy vegetables [except lettuce head]	T2
Lettuce, head	0.3

Endosulfan	
Sum of A- and B- endosulfan and endosulfan sulphate	

Assorted tropical and sub-tropical fruits – inedible peel	2
Broccoli	1
Cabbage, head	1
Cauliflower	1
Cereal grains	0.1
Citrus fruits	0.3
Edible offal (mammalian)	0.2
Eggs	0.02
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	1
Meat (mammalian) (in the fat)	0.2
Milks	0.02
Oilseed	1
Pome fruits	1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.05
Pulses	*0.1
Root and tuber vegetables	0.5
Stalk and stem vegetables	1
Strawberry	T0.5
Tree nuts	0.05

Ethoxyquin	
Ethoxyquin	

Apple	3
Pear	3

Fenvalerate	
Fenvalerate, sum of isomers	

Pome fruits	1
Stone fruits	1

Imidacloprid	
Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid	

Turmeric, root (fresh)	T0.05
------------------------	-------

Indoxacarb	
Sum of indoxacarb and its R-isomer	

Stone fruits	2
--------------	---

Kresoxim-methyl	
<i>Commodities of plant origin:</i> Kresoxim-methyl	
<i>Commodities of animal origin:</i> Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl	

Grapes	1
Pome fruits	0.1

Oxytetracycline	
Inhibitory substance, identified as oxytetracycline	

Prawns	0.2
--------	-----

Pendimethalin	
Pendimethalin	

Leafy vegetables	*0.05
------------------	-------

Praziquantel	
Praziquantel	

Fish muscle/skin	T*0.01
------------------	--------

Simazine	
Simazine	

Fruit	*0.1
-------	------

Tebuconazole
Tebuconazole

Stone fruits	*0.01
--------------	-------

Tilmicosin
Tilmicosin

Cattle milk	T*0.025
-------------	---------

Trichlorfon
Trichlorfon

Fish muscle	T*0.01
-------------	--------

[1.6] omitting from Schedule 1, under the entries for the following chemicals, the maximum residue limit for the food and substituting

Abamectin
Sum of avermectin B1a, avermectin B1b and (Z)-8,9
avermectin B1a, and (Z)-8,9 avermectin B1b

Hops, dry	0.2
-----------	-----

Acetamiprid
Commodities of plant origin: Acetamiprid
Commodities of animal origin: Sum of acetamiprid
and N-demethyl acetamiprid ((E)-N₁-[(6-chloro-3-
pyridyl)methyl]-N₂-cyanoacetamidine), expressed as
acetamiprid

Citrus fruits	1
---------------	---

Azinphos-methyl
Azinphos-methyl

Blueberries	5
Pome fruits	1

Bifenazate
Sum of bifenazate and bifenazate diazene
(diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-
3-yl] 1-methylethyl ester), expressed as bifenazate

Hops, dry	15
-----------	----

Bifenthrin
Bifenthrin

Grapes	0.2
--------	-----

Boscalid
Commodities of plant origin: Boscalid
Commodities of animal origin: Sum of boscalid, 2-
chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)
nicotinamide and the glucuronide conjugate of 2-
chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)
nicotinamide, expressed as boscalid equivalents

Grapes	5
--------	---

Buprofezin
Buprofezin

Grapes	2.5
--------	-----

Carfentrazone-ethyl
Carfentrazone-ethyl

Hops, dry	0.1
-----------	-----

Chlorantraniliprole
*Plant commodities and animal commodities other
than milk:* Chlorantraniliprole
Milk: Sum of chlorantraniliprole, 3-bromo-N-[4-
chloro-2-(hydroxymethyl)-6-
[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-
pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-
N-[4-chloro-2-(hydroxymethyl)-6-
[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-
chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide,
expressed as chlorantraniliprole

Fruiting vegetables, cucurbits	0.5
Legume vegetables	2

Chlorpyrifos
Chlorpyrifos

Citrus fruits	1
---------------	---

Cypermethrin Cypermethrin, sum of isomers	
“	”
Grapes	2
”	
Cyprodinil Cyprodinil	
“	”
Grapes	3
”	
Dimethomorph Sum of E and Z isomers of dimethomorph	
“	”
Grapes	3
Onion, bulb	0.6
Potato	0.05
Shallot	0.6
Spring onion	15
”	
Endosulfan Sum of A- and B- endosulfan and endosulfan sulphate	
“	”
Tea, green, black	10
”	
Fenbutatin oxide Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide	
“	”
Grapes [except wine grapes]	5
”	
Fenitrothion Fenitrothion	
“	”
Oilseeds	0.1
Pulses [except soya bean (dry)]	0.1
”	
Fluxapyroxad <i>Commodities of plant origin:</i> Fluxapyroxad <i>Commodities of animal origin for enforcement:</i> Fluxapyroxad	
“	”
Barley	3
”	
Forchlorfenuron Forchlorfenuron	
“	”
Grapes	0.03
”	
Glyphosate Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate	
“	”
Soya bean (dry)	20
”	

Imazamox Imazamox	
“	”
Soya bean (dry)	0.1
”	
Imazapic Sum of imazapic and its hydroxymethyl derivative	
“	”
Sugar cane	0.1
”	
Imazapyr Imazapyr	
“	”
Maize	0.1
”	
Imidacloprid Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid	
“	”
Grapes	1
”	
Indoxacarb Sum of indoxacarb and its <i>R</i> -isomer	
“	”
Grapes	2
Milks	0.1
”	
Kresoxim-methyl <i>Commodities of plant origin:</i> Kresoxim-methyl <i>Commodities of animal origin:</i> Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl	
“	”
Edible offal (mammalian)	0.05
Fruiting vegetables, cucurbits	0.4
Meat (mammalian)	0.05
Milks	0.05
”	
Methoxyfenozide Methoxyfenozide	
“	”
Citrus fruits	3
”	
Prohexadione-calcium Sum of the free and conjugated forms of prohexadione expressed as prohexadione	
“	”
Cherries	0.4
”	

Pyriproxyfen Pyriproxyfen

“

Citrus fruits	0.5
---------------	-----

”

Quinoxyfen Quinoxyfen

“

Grapes	2
--------	---

”

Trifloxystrobin Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

“

Grapes	3
--------	---

”

Triflumizole Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole
--

“

Grapes	2.5
--------	-----

”